



THE ALL-NEW BAJAJ RE

सधैं अगाडि!

अधिक शक्तिशाली २३६ सि.सि एफ.आइ. इन्जिन





अक धेरै



अक धेरै तानशक्ति



नयाँ स्टाइल्रिस Improved dashboard with MP3 player



TECHNICAL SPECIFICATIONS:

ENGINE

Туре	Four Stroke, Forced air cooled, with ol cooler	
Engine Displacement	236.2 cc	
Max. Power	7.6 kW at 4500 + 250 rpm	
Max. Torque	19.2 N.m at 3250 + 250rpm	
Transmission	4 forward & 1 reverse	
Clutch	Wet, Multiplate	

CHASSIS & BODY

Suspension Front	Offset Column with hydraulic shock absorbers and helical springs	
Suspension Rear	Independently sprung rear wheel by trailing arms with helical spring & hydraulic shock absorbers	
Body	Monocoque chassis with central beam and welded cross member	
Fuel Tank	8 L	

ELECTRICALS

System	12 Volts	
Battery	12 V, 32 A.h	
Head Lamp	12 35/35W	
Horn	12V, Low Tone (LT)	
Tail Lamps	12 V, 21W	
Wiper Motor	Single speed, Rated voltage 12 Volts	

PERFORMANCE

Max. Speed	67 kmph	
WEIGHT		
Max. Total Weight	679 kg	
Vehicle Kerb Weight	360 kg	
BRAKES		

Front/Rear	Hydraulic expanding friction shoe type
------------	--

DIMENSIONS

Wheel Base	2000 mm	Turning Circle Radius	2.88 M
Overall Length	2635 mm	Tyre Front	4.00-8,4 PR / 6PR
Overall Width	1300 mm	Tyre Rear	4.00-8,4 PR / 6PR
Overall Height	1700 mm		

Notes: Values given above are nominal & for guidance only, 15% variation is allowed to cater to production and measurement.

- All dimensions are un-laden conditions
- Definitions of terminologies wherever applicable are as per relevant IS/ISO standards
- Specification are subject to change without notice







WHY THE BAJAJ RE IS ALWAYS AHEAD!









THE ALL-NEW BAJAJ RE १० उत्कृष्ट फिचर्स



